


www.KIFER.com.br

Rua Moxotó, 85 - Chácaras Reunidas
CEP 12238-320 - São José dos Campos - SP
(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

KIFER
PÉRFILADOS



Rua Moxotó, 85 - Chácaras Reunidas
CEP 12238-320 - São José dos Campos - SP
(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

Cadeirinhas


Perfis3m



www.KIFER.com.br


(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

Cadeirinha Fechada




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
22	25	25	40	4,32kg
163	30	25	45	4,68 kg
177	35	25	50	5,05 kg
178	50	25	65	6,15 kg
23	65	25	80	7,25 kg
237	80	25	95	8,34 kg
12	25	30	45	5,05 kg
173	35	32	50	5,56 kg
174	50	32	65	6,66 kg
40	65	32	80	7,76 kg
175	80	32	95	8,86 kg

Cadeirinha Aberta




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
171	30	25	45	3,90kg
160	35	25	50	4,36 kg
172	50	25	65	5,40 kg
14	25	30	45	4,00 kg

Cadeirinha de Engate




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
218	35	25	50	5,70kg
219	35	25	50	5,70 kg
216	50	25	65	6,80 kg
217	50	25	65	6,80 kg
186	35	32	50	6,10 kg
187	35	32	50	6,10 kg
184	50	32	65	7,10 kg
185	50	32	65	7,10 kg

Mata Junta



Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
215	35	25	50	5,70kg
214	35	25	50	5,70 kg
213	50	25	65	6,80 kg
212	50	25	65	6,80 kg
191	35	32	50	6,10 kg
190	35	32	50	6,10 kg
189	50	32	65	7,20 kg
188	50	32	65	7,20 kg

Almofoada




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
94	150	25	165	13,47kg
235	200	25	215	17,13 kg
193	300	25	315	24,45 kg
97	150	32	165	13,98 kg
234	200	32	215	17,64 kg
192	300	32	315	24,96 kg



www.KIFER.com.br

(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

Perfil Tee




Tee/Zee/Batentes

Perfis3m


Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
167	20	25	50	5,05kg
164	25	25	55	5,42 kg
161	30	25	60	5,78 kg
182	35	25	65	6,15 kg
183	50	25	80	7,25 kg
39	65	25	95	8,34 kg
13	25	30	65	6,51 kg
166	20	32	50	5,56 kg
179	35	32	65	6,70 kg
181	50	32	80	7,76 kg
180	65	32	95	8,86 kg

Perfil Zee




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
142	30	25	15	4,50kg
159	35	25	15	4,85 kg
152	40	25	15	5,50 kg
11	45	30	20	6,80 kg

Batente Reto




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
195		27		3,57
196		35		3,80
208		42		4,10

Batente Modular




Código	Dimensões			PesoP/Barra3m
	A	B	C	Chapa1,50F.Q.
209		27		4,20
204		35		4,60
205		42		5,00

Caixa 1-2




Código	Dimensões				Peso P/Barra 3m
	A	B	C	D	Chapa 1,50 F.Q.
1	37	14	21	22	7,20 kg
2	39	16	28	29	7,70 kg

Caixa 3-4




Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
3	72	22	7,70 kg
4	79	29	8,70 kg

Caixa G




Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
7	58	33	5,50 kg
8	45	29	5,10 kg
9	40	22	4,40 kg

Peitoril




Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
46	105	58	6,75 kg
47	120	72	7,00 kg

Tampa L




Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
5	85	35	4,70 kg

Tampa Reta




Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
6	65	35	2,70 kg
17	55	35	2,30 kg

Palheta Lisa




Código	Dimensões			Peso P/Barra 3m
	A	B	C	Chapa 1,50 F.Q.
226	55	28	15	2,20 kg
228	60	23	15	2,22 kg

Palheta Amassada




Código	Dimensões				Peso P/Barra 3m
	A	B	C	D	Chapa 1,50 F.Q.
227	75	28	15	9	3,60 kg
229	75	23	15	9	3,40 kg

Palheta Sem Ventilação




Código	Dimensões				Peso P/Barra 3m
	A	B	C	D	Chapa 1,50 F.Q.
90	80	27	20	9	4,00 kg
91	80	22	20	9	3,49 kg

Palheta Sem Ventilação Amassada




Código	Dimensões					Peso P/Barra 3m
	A	B	C	D	E	Chapa 1,50 F.Q.
55	55	28	12	26	-	2,50 kg
56	60	23	12	21	-	2,90 kg
57	75	28	15	26	9	3,50 kg
58	75	23	15	21	9	3,90 kg

Coluna de Centro




Código	Espessura		Peso
	A	B	Chapa 1,50 F.Q.
19	1,50	11,87 kg	
279	1,20	9,50 kg	
278	1,55	12,20 kg	
280	1,25	10,00 kg	

Soleira de Rebite



Código	Espessura		Peso
	A	B	Chapa 1,50 F.Q.
20	1,50	5,10 kg	
270	1,55	5,10 kg	

Batedor



Código	Dimensões		Peso P/Barra 3m
	A	B	Chapa 1,50 F.Q.
231	32	20	2,42 kg
44	37	15	2,25 kg
45	37	20	2,60 kg
197	40	20	2,70 kg
49	47	20	3,00 kg

Perfilados


Perfis6m



www.KIFER.com.br


(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

MiniGuia




Código	Espessura	Compr.	Peso
10	1,50	3000	4,25kg
6610	1,50	6000	8,50kg
6611	1,55	6000	8,70kg

Stanley




Código	Espessura	Compr.	Peso
18	1,50	3000	7,20 kg
6618	1,50	6000	14,40 kg
6619	2,00	6000	19,63 kg
5518	1,55	6000	14,70 kg
146619	1,95	6000	19,90 kg

GuiaLateral




Código	Espessura		Compr.	Peso
	A	B		Chapa1,50F.Q.
233	28	28	1,50	2,90 kg
6233	28	28	1,50	5,75 kg
614233	28	28	2,00	7,30 kg
269	28	28	1,55	5,85 kg

Baguetes




Código	Espessura		Peso
	A	B	Chapa1,50F.Q.
300	3/8	3/8	1,70 kg
302	3/4	3/4	3,85 kg
301	1/2	1/2	2,20 kg
303	1/2	3/8	2,40 kg
304	3/4	3/8	2,50 kg
357	3/4	1/2	2,70kg
402	5/8	5/8	3,00kg

SoleiraL



Código	Espessura	Peso
274	1,55	10,00 kg
275	1,50	10,00 kg

SoleiraT



Código	Espessura	Peso
272	1,55	12,87 kg
276	1,50	12,75 kg




www.KIFER.com.br

(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482


Escada/DegrauXadrez

“U”Reto“Z”




Código		Dimensões		Peso
“U”	“Z”	A	B	
926	988	500	250	3,50kg
932	990	600	250	4,00 kg
935	994	700	250	5,00 kg
942	1000	800	250	5,40 kg
998	991	900	250	6,30 kg
950	993	1000	250	7,00 kg

DegrauCaracol



Código	Dimensões			Peso
	A	B	C	
410	500	300	3"	3,10 kg
415	550	300	3"	3,40 kg
420	600	300	3"	3,80 kg
425	650	300	3"	4,00 kg
427	700	300	3"	4,30 kg
429	750	300	3"	4,70 kg
430	800	300	3"	5,20 kg

Patamar



Código	Dimensões			Peso
	A	B	C	
437	500	500	25	7,30 kg
439	550	550	25	8,50 kg
441	600	600	25	10,00 kg
443	650	650	25	11,20 kg
445	700	700	25	13,00 kg
446	750	750	25	15,00 kg
449	800	800	25	17,00 kg
447	850	850	25	18,50 kg
448	900	900	25	20,50 kg
434	1000	1000	25	24,00 kg

Lambris


Painéis



www.KIFER.com.br


(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482

Padrão/ Gomo iguais




Código	Compr.	Espessura	Peso
291	2000	0,90	17,30 kg
288	2200	0,90	19,00 kg
1391	2500	0,90	21,60 kg
1399	3000	0,90	26,00kg
285	2000	1,20	23,00kg
286	2200	1,20	25,40 kg
1394	2500	1,20	28,80 kg
1395	3000	1,20	34,50 kg

Prensa Gominho-Gomão




Código	Compr.	Espessura	Peso
1320	2000	0,90	17,30 kg
1390	2200	0,90	19,00 kg
1318	2500	0,90	21,60 kg
1340	3000	0,90	26,00 kg

Ondulado/ Buzios



Código	Compr.	Espessura	Peso
1440	2000	0,90	17,30 kg
1465	2200	0,90	19,00 kg
1460	2500	0,90	21,60 kg
1470	3000	0,90	26,00 kg
1445	2000	1,20	23,00 kg
1450	2200	1,20	25,40 kg
1455	2500	1,20	288 0 kg
1475	3000	1,20	34,50 kg
1442	2000	0,65	12,40 kg
1443	2500	0,65	15,60 kg
1444	3000	0,65	18,70 kg

Fachada




Código	Compr.	Espessura	Peso
1346	2000	0,43	8,26 kg
1358	2500	0,43	10,32 kg
1397	3000	0,43	12,38 kg
1347	2000	0,50	9,60 kg
1345	2500	0,50	12,00 kg
1398	3000	0,50	14,40 kg
1250	2000	0,65	12,40 kg
1255	2500	0,65	15,60 kg
1260	3000	0,65	18,70 kg



www.KIFER.com.br

(12) 3933-7516 | (12) 3933-7517 | (12) 3933-4482


Simplex



Código	A	B	Esp.	Peso
1700	50	25	2,00	8,70kg
1710	50	25	2,25	9,70 kg
1720	50	25	2,65	11,40 kg
1733	50	25	3,00	12,95 kg
1703	75	40	2,00	13,90 kg
1713	75	40	2,25	15,50 kg
1723	75	40	2,65	18,30 kg
1736	75	40	3,00	20,70 kg
1747	75	40	4,75	-
1706	100	40	2,00	16,40 kg
1716	100	40	2,25	18,40 kg
1726	100	40	2,65	21,75 kg
1739	100	40	3,00	24,60 kg
1748	100	40	4,75	37,80 kg
1950	127	40	2,00	18,90 kg
1951	127	40	2,25	21,30 kg
1952	127	40	2,65	25,00 kg
1953	127	40	3,00	28,40 kg
1954	127	40	4,75	43,80 kg
1709	127	50	2,00	20,85 kg
1719	127	50	2,25	23,40 kg
1729	127	50	2,65	27,60 kg
1742	127	50	3,00	31,20 kg
1750	127	50	4,75	48,30 kg
1955	150	50	2,00	23,10 kg
1956	150	50	2,25	25,90 kg
1730	150	50	2,65	30,75 kg
1743	150	50	3,00	34,80 kg
1751	150	50	4,75	53,30 kg

Código	A	B	Esp.	Peso
1957	200	50	2,00	27,80
1958	200	50	2,25	31,30
1731	200	50	2,65	37,20
1744	200	50	3,00	42,23
1753	200	50	4,75	65,40
1959	200	63	2,00	30,30
1960	200	63	2,25	34,10
1961	200	63	2,65	40,20
1962	200	63	3,00	45,50
1963	200	63	4,75	70,70
1964	200	75	2,00	32,70
1965	200	75	2,25	36,70
1732	200	75	2,65	43,00
1745	200	75	3,00	48,60
1754	200	75	4,75	75,70
1966	250	50	2,00	32,70
1967	250	50	2,25	36,70
1968	250	50	2,65	43,30
1969	250	50	3,00	49,00
1970	250	50	4,75	76,20
1971	250	63	2,00	35,20
1972	250	63	2,25	39,50
1973	250	63	2,65	46,50
1974	250	63	3,00	52,70
1975	250	63	4,75	82,10
1976	250	75	2,00	37,50
1977	250	75	2,25	42,20
1978	250	75	2,65	49,60
1979	250	75	3,00	56,20
1980	250	75	4,75	87,60

Enrigecida



Código	A	B	C	Esp.	Peso
1981	75	40	15	2,00	15,65kg
1982	75	40	15	2,25	17,60 kg
1983	75	40	15	2,65	20,70 kg
1984	75	40	15	3,00	23,50 kg
1757	100	40	17	2,00	18,50 kg
1761	100	40	17	2,25	20,74 kg
1985	100	40	17	2,65	24,50 kg
1774	100	40	17	3,00	27,65 kg
1986	100	50	17	2,00	20,40 kg
1762	100	50	17	2,25	22,90 kg
1768	100	50	17	2,65	27,00 kg
1775	100	50	17	3,00	30,50 kg
1758	127	50	17	2,00	23,20 kg
1763	127	50	17	2,25	26,00 kg
1769	127	50	17	2,65	30,60 kg
1776	127	50	17	3,00	34,56 kg
1759	150	50	20	2,00	25,83 kg
1764	150	50	20	2,25	29,00 kg
1770	150	50	20	2,65	34,20 kg
1777	150	50	20	3,00	38,74 kg
1987	150	63	20	2,00	28,30 kg
1765	150	63	20	2,25	31,10 kg
1771	150	63	20	2,65	38,00 kg
1778	150	63	20	3,00	43,00 kg

Código	A	B	C	Esp.	Peso
1988	200	50	20	2,00	30,50 kg
1989	200	50	20	2,25	34,40 kg
1772	200	50	20	2,65	40,50 kg
1779	200	50	20	3,00	46,50 kg
1990	200	63	20	2,00	33,00 kg
1991	200	63	20	2,25	37,20 kg
1992	200	63	20	2,65	43,80 kg
1993	200	63	20	3,00	49,60 kg
1994	200	75	20	2,00	35,30 kg
1995	200	75	20	2,25	37,80 kg
1996	200	75	20	2,65	46,80 kg
1997	200	75	20	3,00	53,00 kg
1998	250	50	20	2,00	35,30 kg
1999	250	50	20	2,25	39,80 kg
2150	250	50	20	2,65	46,80 kg
2151	250	50	20	3,00	53,00 kg
2152	250	63	20	2,00	37,80 kg
2153	250	63	20	2,25	42,50 kg
2154	250	63	20	2,65	50,20 kg
2155	250	63	20	3,00	56,80 kg
2156	250	75	20	2,00	40,20 kg
2157	250	75	20	2,25	45,20 kg
2158	250	75	20	2,65	53,20 kg
2159	250	75	20	3,00	60,20 kg

Travessão

Travessão	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	3000	3000	3000	3000	3000	3000
130X80	10,70	12,15	11,20	12,66	15,12	15,62
150X80	11,70	13,31	12,30	13,86	16,56	17,11
180X80	13,30	15,03	13,90	15,66	18,72	19,34
200X80	14,30	16,2	15,00	16,86	20,16	20,83

Caixa

Travessão	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	3000	3000	3000	3000	3000	3000
130X130	10,40	12,60	10,90	12,60	15,00	15,18
150X150	12,00	14,10	12,50	14,10	17,13	17,50
180X180	14,20	16,80	14,90	17,10	20,43	20,80
200X200	15,80	18,50	16,50	18,20	22,70	23,00

Caixa	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	2500	2500	2500	2500	2500	2500
130X130	8,70	10,50	9,10	10,50	12,45	12,65
150X150	10,00	11,30	10,40	11,75	14,28	14,60
180X180	11,90	13,45	12,40	14,00	17,10	17,40
200X200	13,10	15,50	13,80	15,20	18,90	18,60

Tampa

Tampa	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	3000	3000	3000	3000	3000	3000
130X100	3,76	3,80	3,94	4,50	5,30	5,45
150X120	4,27	5,04	4,47	5,00	6,08	6,20
180X150	5,03	5,95	5,30	6,06	7,20	7,30
200X170	5,55	6,50	5,80	6,40	7,95	8,10

Tampa	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	2500	2500	2500	2500	2500	2500
130X100	3,14	3,65	3,30	3,80	4,46	4,60
150X120	3,56	4,10	3,73	4,18	5,07	5,20
180X150	4,20	4,73	4,40	4,93	6,00	6,10
200X170	4,62	5,35	4,84	5,40	6,59	6,70

Contrapeso

Contrapeso	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.Q.	1,55Galv.
	1000	1000	1000	1000	1000	1000
100X110	3,47	4,20	3,64	4,20	5,40	5,06
120X130	4,24	4,70	4,44	5,00	6,00	6,10
150X160	5,08	6,00	5,32	6,10	7,35	7,60
170X180	5,85	6,62	6,12	6,80	8,45	8,86

Guia

Guia	1,50F.Q.	1,50F.Q.	1,55Galv.	1,55Galv.	2,00F.Q.	2,00F.Q.
	3000	2500	3000	2500	3000	2500
54X40	5,35	4,45	5,50	4,60	6,90	5,60
67X40	6,25	6,12	5,60	4,71	7,80	6,40

KitBasculante

Kit	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.F.	1,55Galv.
	2500	2500	2500	2500	2500	2500
130X130	40	46	42	47	55	56
150X150	45	49	47	51	62	63
180X180	52	58	54	60	72	73
200X200	56	64	59	64	78	79

Kit	1,06F.F.	1,20F.F.	1,11Galv.	1,25Galv.	1,50F.F.	1,55Galv.
	3000	3000	3000	3000	3000	3000
130X130	46	52	48	54	64	63
150X150	52	59	54	60	71	71
180X180	60	69	62	70	83	83
200X200	65	74	68	74	91	91

OBS:TODOSOSPESOSDEKITSESTÃOSEMTRAVESSÃOEASGUIASNA #16

TabeladeChapas

ChapaFinaQuente		
Bitola	Espessura(mm)	PesoP/M²
18	1,20	9,60
16	1,50	12,00
14	2,00	16,00
13	2,25	18,00
12	2,65	21,20
11	3,00	24,00
10	3,35	26,30
9	3,75	30,00
8	4,25	34,00
7	4,50	36,00
3/16"	4,75	38,00
1/4"	6,30	50,00

ChapaFinaFrio		
Bitola	Espessura(mm)	PesoP/M²
30	0,30	2,40
28	0,38	3,04
26	0,45	3,60
24	0,60	4,80
22	0,75	6,00
20	0,90	7,20
19	1,06	8,50
18	1,20	9,60
16	1,50	12,00
14	1,90	15,20
13	2,25	18,00
12	2,65	21,20

ChapaGalvanizada		
Bitola	Espessura(mm)	PesoP/M²
32	0,30	2,40
30	0,35	2,80
28	0,43	3,44
26	0,50	4,40
24	0,65	5,20
22	0,80	6,40
20	0,95	7,60
19	1,11	8,90
18	1,25	10,00
16	1,55	12,40
14	1,95	15,60
13	2,30	18,40
12	2,70	21,60

ChapaDePiso-Xadrez		
Bitola	Espessura(mm)	PesoP/M²
12	2,65	23,30
11	3,00	26,40
3/16"	4,75	42,00